



MAL
efficiency for



M5 EVOLUTION - THE POWERFUL

FACTS

Type: plastering machine M5 Evolution

Use: all indoor and outdoor plastering

Innovation: optimal access

FEATURES

- Plastering machine with Turbomix
- Easily accessible water armature
- Frontal air supply
- Carry handle with reinforcement for the mortar hopper
- Pump outlet for D-R-screws
- Lifting brackets
- Large tool kit
- Automatic switch-off for compressor and water pump
- Compressor protection
- Reduced weight for increased mobility on construction site
- New safety switch-off






Removable water armature for easier access



Theft proof compressor



Feedhood with filters



TECHNICAL DATA

Conveyor capacity	approx. 5-30 l/min
Standard	approx. 25 l/min
Max range	approx. 30 m
Pump engine	5,5 kW 400 V
Cell Wheel Engine	0,55 kW 400 V
Compressor cap.	220 l/min
Water pressure	3 bar
Voltage	400 V 50 Hz

MEASURE + WEIGHT

Length	1050 mm
Width	720 mm
Height	1530 mm
Height of opening	940 mm
Total weight	257 kg

MACHINERY

The pump	„Millenium“
Spray gun	
Mortar hose	15 m
Air hose	15 m
Mixing tube	for D-R pumps
Control panel	42 V
Cleaning tool	
Sponge-rubber balls	